

Alston & Bird LLP

Bank of America Plaza 101 South Tryon Street, Suite 4000 Charlotte, NC 28280-4000 (704) 444-1000 Fax (704) 444-1111

May 31, 2006

Certificate
JUN 0 8 2006

of Correction

Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

United States Patent for

High Energy Containment Device And Turbine With Same

Application No. 10/630,500; Filed July 30, 2003 Patent No. 7,008,173; Issued March 7, 2006

Our File 038190/261436

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistakes incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistakes appearing in the patent are set forth on the Certificate of Correction enclosed herewith, with an additional copy thereof and a postal card being enclosed in accordance with the present USPTO practice.

Respectfully submitted,

Nicholas F. Gallo

Registration No. 50,135

NFG:mf Enclosures CLT01/4829515v1

5 EUU6

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

7,008,173 B2

Page 1 of 1

DATED

March 7, 2006

INVENTOR(S):

Gabrys et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Line 5, "56e" should read --56c--; Line 35, "6k" should read --62c--; Line 36, "byte" should read --by the--; Line 45, "61c" should read --60c--.

MAILING ADDRESS OF SENDER:

PATENT NO

No, of add'l. copies @ 30e per page

Bank of America Plaza 101 South Tryon Street, Suite 4000 Charlotte, NC 28280-4000

4

7,008,173 B2

FORM PTO 1050 (REV. 3-82)

Tel Charlotte Office (704) 444-1000

ALSTON & BIRD LLP



UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. :

7,008,173 B2

Page 1 of 1

DATED

March 7, 2006

INVENTOR(S):

Gabrys et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5,

Line 5, "56e" should read --56c--; Line 35, "6k" should read --62c--; Line 36, "byte" should read --by the--; Line 45, "61c" should read --60c--.

MAILING ADDRESS OF SENDER:

PATENT NO.

No, of add'l, copies @ 30e per page

4

7,008,173 B2

FORM PTO 1050 (REV. 3-82)

ALSTON & BIRD LLP Bank of America Plaza 101 South Tryon Street, Suite 4000 Charlotte, NC 28280-4000 Tel Charlotte Office (704) 444-1000

SLUUb